In the Field of Agriculture

AN OBJECT LESSON IN GOOD FARMING

acre in November, 1903. It comprised 300 acres of poor gray prairie the fall of 1912. land (the commonest type of soil in about twenty counties in that part of the state) and a few acres of timber land. It was christened "Poorland 50-bushel spreader being used for Farm" by those who knew of its impoverished condition, and the name finally adopted as the farm name.

In 1913 a 40-acre field of this farm produced 1,320 bushels of wheat. This particular forty acres was bought at \$15 an acre. It had been agriculturally abandoned for five years prior to 1904, and was covered with a scant growth of red sorrel, poverty grass and weeds.

During the subsequent ten years, this field has been cropped with a A fairly good stand of volunteer yields were as follows: clover appeared with the oats in

year for the 1913 crop.

In an interesting circular under and two tons per acre of fine-ground and two of fine-ground phosphate the title of "Bread From Stones," Dr. raw rock phosphate have been ap-produced 35 1/2 bushels per acre. Cyril G. Hopkins, chief of agronomy plied to thirty-seven acres of this Dr. Hopkins says that "Poorland and chemistry of the University of field. Two applications have been Farm" is in no sense an experiment Illinois agricultural experiment sta- made of each material; the phos- station, and neither is it a "show" tion, tells the story of the reclam- phate was plowed down for the corn farm. No high-priced or artificial mation by scientific methods of a crops of 1904 and 1910, and the commercial fertilizers are used. The southern Illinois farm, which he pur-limestone was applied in the fall and farm is operated solely from the chased at a cost of less than \$20 an winter of 1904-5 and after the economic standpoint, and the results ground was plowed for the wheat in secured show conclusively that in-

> The entire 40-acre field was covsix loads per acre of farm manure, a the purpose.

A six-rod strip extending entirely across the field (80 rods) received the same application of manure and the same rotation of crops as the remaining 37 acres, but no phosphate was applied to this strip, and no limestone was applied to it until the fall of 1912, when the regular application (about 2 tons per acre) was made to one-half (3 rods) of the 6rod strip.

Only 39 acres of this field were six-year rotation, including one year seeded to wheat in the fall of 1912, each of corn, oats (or cowpeas), and a lane having been fenced off on one wheat, and three years of meadow side, and the 1,320 bushels were proand pasture with clover and timothy. duced from the 39 acres. The actual

1911 and this was allowed to pro- manure alone produced 11 1/2 bushels more easily than imagined. This is duce a crop of clover hay in 1912, per acre; 11/2 acres with farm ma-

limestone produced 15 bushels per During the ten years, about four acre; 36 acres with farm manure and ton per acre of ground limestone two applications of ground limestone

telligent permanent soil improvement on land that must or will be ered with one uniform application of farmed is both the safest and most profitable investment open to the farmer and the land owner.

> The average annual cost for the limestone and phosphate spread on the field was \$1.75 per acre, and this average annual investment resulted in the increase of 24 bushels of wheat per acde in 1913. Thus, it may be said, that the previous applications of these two natural rocks, or stones, brought about the production in 1913 of 864 bushels of wheat, an amount sufficient to furnish a year's supply of bread for more than a hundred people.

TESTING SEED CORN

The testing of each ear that will be used for seed is not such a difficult One and one-half acres with farm task, and may be accomplished much done by securing a box about 30 wheat being seeded in the fall of that nure and one application of ground inches square and 3 or 4 inches deep, filling the box full of sand. Then drive nails or tacks 2 1-2 inches apart all the way around the edges of the box and over these nails stretch a string back and forth so as to mark the box off in 2 1-2 inch squares. The squares are then numbered on the edge of the box. The ears of corn to be tested are then laid on the floor, if no rack is available, numbered, and ten kernels removed from various parts of the ear. They are placed in the same point downward so as to be about 1-2 inch below the surface. A very good method of numbering the ears is to pin bits of paper to the butts of the ears. This can be done very easily with ordinary pins. The kernels from ear No. 1 are now put in square No. 1, ear No. 2 in square No. 2, etc. The box of sand containing the corn is then thoroughly saturated with water at about blood heat, covered with old sacks or carpet, and placed near the stove or open fire, where it is moistened down daily to hasten germination. The temperature should be kept between 75 and 90 degrees if possible.

HOW TO RAISE EARLY POTATOES

Irish potatoes on the early market always bring fancy prices, anywhere from \$3 to \$5 per barrel. As to getting them early, at least a few weeks earlier than the majority of growers, a Virginia farmer gives an interesting experience in a current issue of the Farm Life:

"The first thing of importance is the proper kind of soil. It should be of a medium light, sandy nature, neither too stiff nor too light, in a fairly good state of fertilization. Land which raises good cabbage will raise good potatoes, I have found. Experience has taught me that there is no use to expect a large crop of potatoes from poor, unfertile soil, no matter how large an amount of fertilizer we may use. An ideal place for a patch is an old garden spot that







Grown in the Great Missouri Valley. 5 sample packets 10c 1 o tpa d. Circular describing free.

L. N. CRILL SEED CO. ELK POINT SOUTH DAKOTA

In the past 27 years we have satisfied thousands of customers with our "Seeds and Trees that Grow." Our seeds will comply with the laws of any State.
Our new, 1914
Garden copy. It willserve to help We will send you a copy free, on request, either in English or German, GERMAN NURSERIES& SEED HOUSE 402 GERMAN BLDG. (Carl Sonderegger) BEATRICE, NES.

CHILDS' GIANT SUMMER COSMOS



known. Blooms profusely from June to Nov., each plant pro-ducing thousands of flowers. larger and more exquisite than the fall Cosmos, white, blush, pink, rose, crimson, etc. Thrives anywhere—finest cut flower for vases, etc. Mailed for

10 ets. per plat., in-cluding 5 other leading Novellies free for trial, viz.s Crego Pink, largest and finest of all Asters. Pansy. Orchid-fid., superb new

Primrose, New Glant White. Petunia, Brilliant Beauty. Snowball Tomato, new (white).

All these Six leading Seed Novelties for only 10 cts., together with Notes on Culture, Catalogue, Floral Hints, etc.

Our Hig Catalogue of Flower and Vey, Seeds, Bulks, Plants and rare new Fruits free to all who apply. We are the largest growers in the world of Gladlohus, Cannas, Dahlias, Lücs, Iris, etc., and our stocks are best and cheapest. JOHN LEWIS CHILDS, Floral Park, N. Y.

The Hinge-Door Silo

The Silo That Gives Perfect Satisfaction

> The Hinge-Door Silo keeps silage in best condition-hinge doors always closed-keeps your silo air tight, like a bottle; prevents silage from freezing in winter and drying out in summer. Doors open and close easier than barn doors. Can't sag, stick or freeze in. It is the best silo and is made from the best material.

Write Today for Our Silo Book---Mailed Free

Features Hinge-Door and Lansing Silos

Also famous Silberzahn Cutter

Address nearest branch, Dept. A

Woods Bros. Silo & Mfg. Co.

General Office: Lincoln, Nebraska

BRANCHES:

Lansing, Mich. East St. Louis, Ill. Maryville, Mo. Lexington, Ky. Minneapolis, Minn.

Atlanta, Ga. Jackson, Miss. Topeka, Kan. Oklahoma City, Okla.

Denver, Colo. Spokane, Wash. West Bend, Wis. Crosset, Ark. Charlotte, N. C.