




Sunny Monday

The King of Laundry SOAPS. Yellow soaps contain rosin. SUNNY MONDAY contains no rosin.

"Sunny Monday bubbles will wash away your troubles."

Use Gold Dust it is better and cheaper than yellow soap.

Buy Sunny Monday and Gold Dust



J. N. PEALE

Home Course In Modern Agriculture

VI.—How Plants Are Propagated

By C. V. GREGORY,

Agricultural Division, Iowa State College
Copyright, 1909, by American Press Association

In order to continue to raise crops from year to year we must propagate the plants in some way. There are two principal ways of doing this—by seeds and by divisions of the plant itself. The most important of these is by seeds, and it is in this way that most of the ordinary farm crops are multiplied.

In order to understand this process we must first learn how the seeds are formed. The part of the flower which bears the male flower and the female flower is called the pistil. Some plants, such as certain varieties of strawberries, have only female flowers and must be planted in alternate rows with varieties which have both kinds of blossoms. In other plants the male and female flowers are combined in one. This is the case with the apple and many other fruits. In the apple the stamens, or male parts, grow in a ring around the pistil, or female part, which is in the center of the flower. The top of a stamen, which is expanded, is called the anther. This contains a yellow dust called the pollen.

The upper portion of the pistil is called the stigma. From it a tube called the style leads downward to the ovary. This ovary contains one or more egg-shaped cells called ovules. Each of these ovules is capable of developing into a seed if fertilized with a pollen grain. When a grain of pollen alights on a ripe stigma it is held by a sticky substance secreted there. It soon germinates and sends a long threadlike projection down through the style to the ovary. This slender projection enters the ovary, and the resultant union of the male and female elements causes a seed to develop. One pollen grain is required for each ovule, and each ovule develops into a separate seed. There are many thousand pollen grains produced by each stamen, and as there are several stamens for each pistil you will see that a great excess of pollen is produced. This is one of nature's methods of making reproduction more certain.

In flowers like the apple the pollen may sometimes fall directly on the stigma in the same flower. More often, however, the stamens and pistils ripen at different times. The object of this is to prevent self-fertilization, which, if long continued, will weaken the vitality of the coming generations. Cross-pollination—that is, the fertilization of the ovule of one flower by the pollen from another plant—guarantees the strength of both parents and produces larger, harder seeds.

This has been proved by many experiments. If the tassels are pulled from a row of corn before they have time to shed their pollen, the silks must necessarily be fertilized by pollen from other stalks. The cross-pollination will cause the detached rows to produce heavier and larger ears. If this process is continued from year to year the yielding power of that particular strain will be considerably increased.

In such plants as corn the wind carries the pollen for miles in every direction. The air in the cornfield is so filled with the yellow dust that there is seldom any danger that the silks will fail to catch more than plenty to fertilize each of the many ovules that are to form the future kernels.

Some plants, however, are not so fortunate in this respect. The pollen of fruit trees is carried to some extent by the wind, but not nearly so much so as that of corn. In such plants as

or rube, but before you build a fire over them stop to think whether you want a crop of clover seed or not.

Some beekeepers are developing strains of honeybees with exceptionally long tongues. Some of these are able to obtain honey from second crop red clover, which has smaller blossoms than the first crop. When these strains of bees become a little better developed and more widely distributed the usefulness of the humblebee will be over.

In the case of small grain cross-fertilization is impossible, since the flower is made of a closed ball. Two varieties of wheat may be planted in adjoining fields or even in the same field without the slightest danger of mixing. Varieties of corn, on the other hand, often mix when as much as forty rods apart.

The selection of seed corn will be taken up in the next article. The best




FIG. XIII.—THE STOCK AND SCION READY TO BE UNITE.

method of selecting small grain is by means of the fanning mill. By running through three or four times as much seed as is needed all the small grains may be sieved out and the light ones blown over, leaving only the heaviest, strongest ones for planting.

Grain that is intended for seed should be stored carefully in order that it may go through the winter unharmed. The chief enemies of stored seed are moisture, insects and rats and mice. The seed should be dry when stored and kept where moisture cannot gain access to it. Dry seed will stand almost any amount of freezing without injury.

There are a number of insects that damage seed grain by burrowing into the germ. If the seed room is tight, they may be killed by fumigating with carbon disulphide used at the rate of a pound to each thousand cubic feet of space. Place this in an open dish on top of the seed, close the room as tightly as possible, and in a few hours the insects will be exterminated. Care should be taken not to go near the room with a light, as the gas is explosive. This same treatment is also fatal to rats and mice, unless they have some way of escaping from the room. If possible the seed room should be so well built that these pests cannot get into it.

The second method of plant propagation is by division—that is, by planting parts of the plant itself. Potatoes are propagated in this way almost entirely. If small willow and poplar branches are stuck into the ground, they will grow into trees. Apple and other fruit trees are propagated either by grafting or budding. Apple trees may be raised from seed, but the fruit of seedling trees is usually worthless. By taking a part of the tree and growing another from it, it will, of course, bear the same kind of fruit.

Grafting consists of joining pieces of small branches or sections of the tree which is to be propagated to pieces of roots or stocks. The roots of yearling seedlings are used for stocks. The scions, which should be about the size of a lead pencil, should be cut in the fall and packed in sand. The grafting can be done at any time during the winter. All that is necessary is to cut the lower end of the stock and the upper end of the scion at an angle, as shown in Fig. 13. These are then carefully fitted together and tied with a little common string. The essential point is to be sure to have the cambium layer of the scion join that of the stock. This cambium layer is the thin, light brown portion between the bark and the wood. It is the point where growth takes place.

The completed graft, which should be eight to ten inches long, is again packed in sand. In the spring the grafts are planted in a row in the garden and left until they are two or three years old, when they may be transplanted to their permanent place in the orchard.




FIG. XII.—SECTION OF CHERRY BLOSSOM SHOWING MALE AND FEMALE PARTS.

clover the stamens are at the bottom of a slender tube, from which they cannot escape unaided. Plants of this nature are dependent on insects to transfer pollen from one flower to another. In order to attract these insects the flowers secrete a sweet nectar, which collects in the bottom of the tubes of which the flowers are composed.

Ants, flies, butterflies and bees are very fond of this nectar and in collecting it carry the pollen of one flower to the stigma of another. Bees are most important in doing this work because they gather so much more of the nectar than do the other insects. They often carry home some of the pollen, too, which can be seen sticking in yellow balls to their hind legs, but enough is always brushed off to fertilize the flowers which they visit. The blossoms of red clover are so large that the short tongues of ordinary honeybees cannot reach to the bottom. It is upon the larger bumblebees that this crop depends for its ability to produce seed.

Indeed, it is so entirely dependent upon them that the crop of clover seed is in direct proportion to the number of bumblebees in the neighborhood. It is anything but pleasant to run into a big nest of bumblebees with a mower

Sheppard & Burk

HEADQUARTERS FOR

JUST GROCERIES

WE HAVE A NICE NEW LINE OF
Dates, Imported Figs, Honey, Celery,
Cranberries, Sweet Potatoes,
Dill Pickles, Candied Cherries,
Candied Citron Peel,
Candied Lemon Peel,
Orange Peel, Nut Meats,
After Dinner Mints,
All kinds of Nuts. New crop is now in. We also have
the fresh Oysters right from Biltmore—big ones—the kind
YOU CAN TRY
Sheppard & Burk.

We Want Orders

FOR OUR
Baldwin Nut and Lump
Cannon and Nigger Head Coal
WE ALSO NOW HAVE NICE PEA COAL
G. L. Turner Lbr Co.

The West Elevator

RAS ANDERSON
— DEALER IN —
GRAIN AND COAL
Feed in large and small quantities at both wholesale
and retail.
Special attention given to filling orders for coal
in any quantity.
Broken Bow, Nebraska

Send your Abstract Orders to
J. G. LEONARD,
Bonded Abstracter
Office in Security State Bank Bld'g

1908 WHITEHALL POLAND-CHINAS 1908
As good as money can buy or skill produce.
IN SERVICE


OPHAN BOY 42775,
1st and Sweepstakes at Nebraska State Fair 1907.
WHITEHALL KING 48003,
Of well high faultless conformation and breeding.

7 SOWS AVERAGED 12 PIGS, SPRING '08. 7
Sows Sired By: King Look 24159, Grand Look 38195, Chief Tec. 3rd, 20740,
Young Tec. 42166, Standard Chief 2nd etc.
Stock for Sale at Private Treaty No Public Sale This Fall.
M. E. Vandenberg, - - - Sargent, Nebraska.

ABSTRACTING
BROKEN BOW ABSTRACT CO. BONDED
Farm Loans Quickly Closed
I. A. RENEAU

MITCHELL

\$1000, \$1500 and \$2000 F.O.B. ROCINE, WIS.



This Car Arrived Friday, Feb'y 5, '09.
Come in and Look it Over.

W. E. Talbot. A. G. Martin.

Denatured Alcohol.

Why use wood alcohol when you can buy grain alcohol denatured, just as cheap? Denatured alcohol has a pleasant odor and is harmless to use.

Wood alcohol has been known to cause blindness. Denatured alcohol can be used for cooking, heating, etc.

S. R. LEE
The Busy Druggist

BUSINESS POINTERS.

Dr. Bass, Dentist. Over McCoumas'

Drs. Farnsworth & Beck - Dentists.

Drink "Blue Ribbon" coffee Roasted fresh every day. 24 ct

FOR SALE.—Four room house with 1-6 block of ground. Close in. H. Simonsen 22-11

Drink "Blue Ribbon" coffee Roasted fresh every day. 24 ct

Drink "Blue Ribbon" coffee Roasted fresh every day. 24 ct

I have now arranged to take care of a general collection business, having secured a competent clerk and stenographer, and all collections will receive prompt and energetic attention.
20-11 N. T. GARDNER

Fine Residence property for sale. Call on E. P. Coleman's Broken Bow. Feb'y 25-11

FOR SALE One Second-hand Tiger drill. Has been used for one season. One new 16 inch riding plow. One new harness wagon, complete. If you want a bargain, call at once, as the stuff is going to be sold. I have no use for it. E. C. HORSER 64-2

We are in the market FOR WHITE and YELLOW CO N. Will pay the highest price offered on the Broken Bow market. Call and see us before selling. 34-11
S. J. LONERGAN

Drink "Blue Ribbon" coffee Roasted fresh every day. 24 ct

Schedule of Broken Bow Mails.
FUGHERS FOR THE EAST CLERK AS FOLLOWS:
Train No 40.....6:29 a m
Train No 42.....9:34 a m
Train No 44.....7:30 p m
FUGHERS FOR THE WEST CLERK AS FOLLOWS:
Train No 43.....8:22 a m
Train No 41.....11:30 p m
Office open Sunday from 9:30 to 10:30 a. m.
Week days 6:30 a. m. to 7:30 p. m.

B. & M. Train Schedule
WEST BOUND EAST BOUND
No. 39.....6:29 a m No. 40.....6:40 a m
No. 41.....11:37 p m No. 42.....9:30 a m
No. 43.....8:22 a m No. 44.....11:37 p m
Nos 39 and 40 run between Lincoln and Broken Bow only, and not on Sundays.
Freight trains Nos. 47 and 48 carry passengers but are run as extras

Lest You Forget

OUR NEXT
MARKET DAY SALE

Broken Bow, Saturday, Mar 13, '09
.. AND ..
Anselmo, Saturday March 6, 1909

We will sell everything at a reasonable commission and allow you one bid on your property
We cry Farm Sales for 1 per cent and guarantee you absolute satisfaction.

"Consult Us Before Advertising Your Sale."

Tinder & O'Rorke
Auctioneers - - - Broken Bow